

Štednjaci na čvrsto gorivo

Solid fuel cookers



Strong pellet

Dimenzije (VxŠxD) Dimensions (HxWxD)	870x910x655 mm
Dimenzije pećnice (VxŠxD) Oven dimensions (HxWxD)	300x300x450 mm
Snaga Power	11,5 kW
Stepen iskorišćenja Efficiency	90 %
Odvod dima Fume outlet	gornji / up / Ø 120 mm
Tip goriva Fuel type	pelet pellet
Nedeljno programiranje rada (do sedam dana unapred) / Automatsko puštanje u rad / Daljinsko upravljanje Weekly programming (up to seven days in advance) / Automatic start-up / Remote control	

Boje
Colors



SD Strong

Dimenzije (VxŠxD)	865x915x655 mm
Dimensions (HxWxD)	
Dimenzije ložišta (VxŠxD)	195x200x400 mm
Firebox dimensions (HxWxD)	
Dimenzije pećnice (VxŠxD)	440x300x445 mm
Oven dimensions (HxWxD)	
Snaga	7,6 kW
Power	
Stepen iskorišćenja	76,5 %
Efficiency	
Odvod dima	gornji, zadnji /
Fume outlet	up, back / Ø 120 / 130 mm
Tip goriva	drvo
Fuel type	wood



Boje
Colors

ŠTEDNJACI NA ČVRSTA GORIVA
SOLID FUEL COOKERS

SD As SD As Lux

Dimenzije (VxŠxD) Dimensions (HxWxD)	845x900x654 mm
Dimenzije ložišta (VxŠxD) Firebox dimensions (HxWxD)	270x270x350 mm
Dimenzije pećnice (VxŠxD) Oven dimensions (HxWxD)	270x350x470 mm
Snaga Power	8,3 kW
Stepen iskorišćenja (drvo) Efficiency	77,8 %
Odvod dima Fume outlet	gornji / up / $\varnothing$ 150 mm
Tip goriva Fuel type	drvo wood

Boje
Colors





ŠTEDNJACI NA ČVRSTA GORIVA
SOLID FUEL COOKERS

SD Rocky

Dimenzije (VxŠxD) Dimensions (HxWxD)	850x900x600 mm
Dimenzije ložišta (VxŠxD) Firebox dimensions (HxWxD)	360x320x430 mm
Dimenzije pećnice (VxŠxD) Oven dimensions (HxWxD)	270x350x470 mm
Snaga Power	8,2 kW
Stepen iskorišćenja Efficiency	76,5 %
Odvod dima Fume outlet	gornji / up / Ø 150 mm
Tip goriva Fuel type	drvo wood



SD Magnum SD Magnum S

Dimenzije (VxŠxD) Dimensions (HxWxD)	865x1070x660 mm
Dimenzije ložišta (VxŠxD) Firebox dimensions (HxWxD)	300x250x340 mm
Dimenzije pećnice (VxŠxD) Oven dimensions (HxWxD)	270x350x470 mm
Snaga Power	9,5 kW
Stepen iskorišćenja Efficiency	76,1 %
Odvod dima Fume outlet	centralni, zadnji / up, back / Ø 120 mm
Tip goriva Fuel type	drvo wood

Boje
Colors





ŠTEDNJACI NA ČVRSTA GORIVA
SOLID FUEL COOKERS

Grand 90

Dimenzije (VxŠxD)	860x900x600 mm
Dimensions (HxWxD)	
Dimenzije ložišta (VxŠxD)	250x210x456 mm
Firebox dimensions (HxWxD)	
Dimenzije pećnice (VxŠxD)	302x250x433 mm
Oven dimensions (HxWxD)	
Snaga (drvo)	7 kW
Power	
Stepen iskorišćenja (drvo)	73,2 %
Efficiency	
Odvod dima	levi, desni, centralni, zadnji /
Fume outlet	left, right, up, back / Ø 120 mm
Tip goriva	drvo
Fuel type	wood

Nemačka tehnologija i kvalitet, proizvedeno u Srbiji!



King

Dimenzije (VxŠxD)	860 - 900x810x600 mm
Dimensions (HxWxD)	
Dimenzije ložišta (VxŠxD)	343,5x198x386 mm
Firebox dimensions (HxWxD)	
Dimenzije pećnice (VxŠxD)	270x350x470 mm
Oven dimensions (HxWxD)	
Snaga (drvo)	7 kW
Power (wood)	
Stepen iskorišćenja (drvo)	74,6 %
Efficiency (wood)	
Odvod dima	levi, desni, centralni, zadnji /
Fume outlet	left, right, up, back / Ø 120 mm
Tip goriva	drvo
Fuel type	wood

Nemačka tehnologija i kvalitet, proizvedeno u Srbiji!

Boje
Colors





ŠTEDNJACI NA ČVRSTA GORIVA
SOLID FUEL COOKERS

Royal 900 DV

Dimenzije (VxŠxD)	850x900x600 mm
Dimensions (HxWxD)	
Dimenzije ložišta (VxŠxD)	175x250x400 mm
Firebox dimensions (HxWxD)	
Dimenzije pećnice (VxŠxD)	270x500x470 mm
Oven dimensions (HxWxD)	
Snaga	8,1 kW
Power	
Stepen iskorišćenja	75,8 %
Efficiency	
Odvod dima	levi, desni, gornji, zadnji /
Fume outlet	left, right, up, back / Ø 120 mm
Tip goriva	drvo
Fuel type	wood



SD Royal 720

Dimenzije (VxŠxD)	850x720x600 mm
Dimensions (HxWxD)	
Dimenzije ložišta (VxŠxD)	175x250x400 mm
Firebox dimensions (HxWxD)	
Dimenzije pećnice (VxŠxD)	270x350x470 mm
Oven dimensions (HxWxD)	
Snaga	8,1 kW
Power	
Stepen iskorišćenja	75,8 %
Efficiency	
Odvod dima	levi, desni, gornji, zadnji /
Fume outlet	left, right, up, back / Ø 120 mm
Tip goriva	drvo
Fuel type	wood

Boje
Colors





ŠTEDNJACI NA ČVRSTA GORIVA SOLID FUEL COOKERS

SD Trend

Dimenzije (VxŠxD)	855x900x495 mm
Dimensions (HxWxD)	
Dimenzije ložišta (VxŠxD)	270x335x370 mm
Firebox dimensions (HxWxD)	
Dimenzije pećnice (VxŠxD)	205x370x325 mm
Oven dimensions (HxWxD)	
Snaga	7,1 kW
Power	
Stepen iskorišćenja	76,3 %
Efficiency	
Odvod dima	levi, desni /
Fume outlet	left, right / Ø 120 mm
Tip goriva	drvo
Fuel type	wood



SD 10 RS

Dimenzije (VxŠxD) Dimensions (HxWxD)	850x945x645 mm
Dimenzije ložišta (VxŠxD) Firebox dimensions (HxWxD)	250x200x400 mm
Dimenzije pećnice (VxŠxD) Oven dimensions (HxWxD)	200x490x460 mm
Snaga (drvo) Power (wood)	7 kW
Stepen iskorišćenja (drvo) Efficiency (wood)	75 %
Odvod dima Fume outlet	levi, desni / left, right / Ø 120 mm
Tip goriva Fuel type	drvo, ugalj wood, coal

Boje
Colors





ŠTEDNJACI NA ČVRSTA GORIVA
SOLID FUEL COOKERS

SD 9 RS

Dimenzije (VxŠxD)	740x945x645 mm
Dimensions (HxWxD)	
Dimenzije ložišta (VxŠxD)	250x200x400 mm
Firebox dimensions (HxWxD)	
Dimenzije pećnice (VxŠxD)	200x490x460 mm
Oven dimensions (HxWxD)	
Snaga	7 kW
Power	
Stepen iskorišćenja	75 %
Efficiency	
Odvod dima	levi, desni /
Fume outlet	left, right / Ø 120 mm
Tip goriva	drvo
Fuel type	wood



ŠTEDNJACI NA ČVRSTA GORIVA
SOLID FUEL COOKERS

SD 9 SL

Dimenzije (VxŠxD)	740x945x645 mm
Dimensions (HxWxD)	
Dimenzije ložišta (VxŠxD)	250x200x400 mm
Firebox dimensions (HxWxD)	
Dimenzije pećnice (VxŠxD)	200x490x460 mm
Oven dimensions (HxWxD)	
Snaga	7 kW
Power	
Stepen iskorišćenja	75 %
Efficiency	
Odvod dima	levi, desni /
Fume outlet	left, right / Ø 120 mm
Tip goriva	drvo
Fuel type	wood

Boje
Colors





ŠTEDNJACI NA ČVRSTA GORIVA
SOLID FUEL COOKERS

SD 7 RS

Dimenzije (VxŠxD)	740x820x645 mm
Dimensions (HxWxD)	
Dimenzije ložišta (VxŠxD)	250x200x400 mm
Firebox dimensions (HxWxD)	
Dimenzije pećnice (VxŠxD)	200x430x460 mm
Oven dimensions (HxWxD)	
Snaga	7 kW
Power	
Stepen iskorišćenja	75 %
Efficiency	
Odvod dima	levi, desni /
Fume outlet	left, right / Ø 120 mm
Tip goriva	drvo
Fuel type	wood



SD 7 SL

Dimenzije (VxŠxD) Dimensions (HxWxD)	740x820x645 mm
Dimenzije ložišta (VxŠxD) Firebox dimensions (HxWxD)	250x200x400 mm
Dimenzije pećnice (VxŠxD) Oven dimensions (HxWxD)	200x430x460 mm
Snaga Power	7 kW
Stepen iskorišćenja (drvo) Efficiency	75 %
Odvod dima Fume outlet	levi, desni / left, right / Ø 120 mm
Tip goriva Fuel type	drvo wood

Boje
Colors





ŠTEDNJACI NA ČVRSTA GORIVA
SOLID FUEL COOKERS

SD 3

Dimenzije (VxŠxD)	740x720x570 mm
Dimensions (HxWxD)	
Dimenzije ložišta (VxŠxD)	195x200x300 mm
Firebox dimensions (HxWxD)	
Dimenzije pećnice (VxŠxD)	200x300x400 mm
Oven dimensions (HxWxD)	
Snaga	7 kW
Power	
Stepen iskorišćenja	75 %
Efficiency	
Odvod dima	levi, desni /
Fume outlet	left, right / Ø 120 mm
Tip goriva	drvo
Fuel type	wood





Peći na čvrsto gorivo

Solid fuel stoves



PEĆI NA ČVRSTA GORIVA
SOLID FUEL STOVES

SD Eva

Dimenzije (VxŠxD) Dimensions (HxWxD)	780x605x555 mm
Dimenzije ložišta (VxŠxD) Firebox dimensions (HxWxD)	400x500x420 mm
Snaga Power	8,2 kW
Stepen iskorišćenja Efficiency	76,9 %
Odvod dima Fume outlet	centralni / up / Ø 120 mm
Tip goriva Fuel type	drvo wood

Boje
Colors





PEĆI NA ČVRSTA GORIVA
SOLID FUEL STOVES

SD Vulkan

Dimenzije (VxŠxD)	748x638x532 mm
Dimensions (HxWxD)	
Dimenzije ložišta (VxŠxD)	265x390x400 mm
Firebox dimensions (HxWxD)	
Snaga	14,2 kW
Power	
Stepen iskorišćenja	76,1 %
Efficiency	
Odvod dima	centralni /
Fume outlet	up / Ø 150 mm
Tip goriva	drvo
Fuel type	wood



Boje
Colors

PEĆI NA ČVRSTA GORIVA
SOLID FUEL STOVES

Orion

Dimenzije (VxŠxD)	1010x518x411 mm
Dimensions (HxWxD)	
Dimenzije ložišta (VxŠxD)	265x320x279 mm
Firebox dimensions (HxWxD)	
Snaga (drvo)	6 kW
Power (wood)	
Stepen iskorišćenja (drvo)	80 %
Efficiency (wood)	
Odvod dima	centralni /
Fume outlet	up / Ø 150 mm
Tip goriva	drvo
Fuel type	wood

Boje
Colors





PEĆI NA ČVRSTA GORIVA
SOLID FUEL STOVES

Luna

Dimenzije (VxŠxD)	989x518x410 mm
Dimensions (HxWxD)	
Dimenzije ložišta (VxŠxD)	265x320x279 mm
Firebox dimensions (HxWxD)	
Snaga (drvo)	6 kW
Power (wood)	
Stepen iskorišćenja (drvo)	80 %
Efficiency (wood)	
Odvod dima	centralni /
Fume outlet	up / Ø 150 mm
Tip goriva	drvo
Fuel type	wood



Boje
Colors

PEĆI NA ČVRSTA GORIVA
SOLID FUEL STOVES

SD Olymp SD Olymp S

Dimenzije (VxŠxD)	848x578x629 mm
Dimensions (HxWxD)	
Dimenzije ložišta (VxŠxD)	310x250x340 mm
Firebox dimensions (HxWxD)	
Snaga	10,3 kW
Power	
Stepen iskorišćenja	76,2 %
Efficiency	
Odvod dima	zadnji /
Fume outlet	back / Ø 120 mm
Tip goriva	drvo
Fuel type	wood

Boje
Colors





PEĆI NA ČVRSTA GORIVA
SOLID FUEL STOVES

SD Olympia SD Olympia S

Dimenzije (VxŠxD) Dimensions (HxWxD)	1120x578x629 mm
Dimenzije ložišta (VxŠxD) Firebox dimensions (HxWxD)	310x250x340 mm
Dimenzije pećnice (VxŠxD) Oven dimensions (HxWxD)	280x270x420 mm
Snaga Power	12,2 kW
Stepen iskorišćenja Efficiency	76,8 %
Odvod dima Fume outlet	zadnji / back / Ø 120 mm
Tip goriva Fuel type	drvo wood



Boje
Colors

PEĆI NA ČVRSTA GORIVA
SOLID FUEL STOVES

Grand 50

Dimenzije (VxŠxD)	860-900x515x573 mm
Dimensions (HxWxD)	
Dimenzije ložišta (VxŠxD)	256x381x375 mm
Firebox dimensions (HxWxD)	
Snaga (drvo)	7 kW
Power (wood)	
Stepen iskorišćenja (drvo)	76,3 %
Efficiency (wood)	
Odvod dima	gore /
Fume outlet	up / Ø 120 mm
Tip goriva	drvo
Fuel type	wood

Boje
Colors





PEĆI NA ČVRSTA GORIVA
SOLID FUEL STOVES

SD Vesta Eco

Dimenzije (VxŠxD)	890x455x440 mm
Dimensions (HxWxD)	
Dimenzije ložišta (VxŠxD)	400x280x340 mm
Firebox dimensions (HxWxD)	
Snaga	8,2 kW
Power	
Stepen iskorišćenja	77,8 %
Efficiency	
Odvod dima	centralni /
Fume outlet	up / Ø 120 mm
Tip goriva	drvo
Fuel type	wood



Boje
Colors

SD Vesta Plus

Dimenzije (VxŠxD)	938x455x440 mm
Dimensions (HxWxD)	
Dimenzije ložišta (VxŠxD)	400x280x340 mm
Firebox dimensions (HxWxD)	
Snaga	7,1 kW
Power	
Stepen iskorišćenja	76,5 %
Efficiency	
Odvod dima	centralni /
Fume outlet	up / Ø 120 mm
Tip goriva	drvo
Fuel type	wood

Boje
Colors





PEĆI NA ČVRSTA GORIVA
SOLID FUEL STOVES

SD Hit

Dimenzije (VxŠxD)	885x550x440 mm
Dimensions (HxWxD)	
Dimenzije ložišta (VxŠxD)	270x290x300 mm
Firebox dimensions (HxWxD)	
Snaga	6,1 kW
Power	
Stepen iskorišćenja	76,2 %
Efficiency	
Odvod dima	centralni /
Fume outlet	up / Ø 120 mm
Tip goriva	drvo
Fuel type	wood



PEĆI NA ČVRSTA GORIVA
SOLID FUEL STOVES

SD Corner

Dimenzije (VxŠxD) Dimensions (HxWxD)	885x640x575 mm
Dimenzije ložišta (VxŠxD) Firebox dimensions (HxWxD)	270x280x300 mm
Snaga Power	6,1 kW
Stepen iskorišćenja Efficiency	76,2 %
Odvod dima Fume outlet	centralni / up / Ø 120 mm
Tip goriva Fuel type	drvo wood

Boje
Colors





PEĆI NA ČVRSTA GORIVA
SOLID FUEL STOVES

SD Happy

Dimenzije (VxŠxD)	745x400x410 mm
Dimensions (HxWxD)	
Dimenzije ložišta (VxŠxD)	250x270x300 mm
Firebox dimensions (HxWxD)	
Snaga	6,1 kW
Power	
Stepen iskorišćenja	76,2 %
Efficiency	
Odvod dima	centralni /
Fume outlet	up / Ø 120 mm
Tip goriva	drvo
Fuel type	wood



PEĆI NA ČVRSTA GORIVA
SOLID FUEL STOVES

SD Hera

Dimenzije (VxŠxD) Dimensions (HxWxD)	850x400x560 mm
Dimenzije ložišta (VxŠxD) Firebox dimensions (HxWxD)	350x290x300 mm
Snaga Power	6,2 kW
Stepen iskorišćenja Efficiency	76,4 %
Odvod dima Fume outlet	centralni / up / Ø 120 mm
Tip goriva Fuel type	drvo wood

Boje
Colors





PEĆI NA ČVRSTA GORIVA
SOLID FUEL STOVES

PG-1

Dimenzije (VxŠxD)	870x400x490 mm
Dimensions (HxWxD)	
Dimenzije ložišta (VxŠxD)	380x275x300 mm
Firebox dimensions (HxWxD)	
Snaga (drvo / ugalj)	6 kW / 6 kW
Power (wood / coal)	
Stepen iskorišćenja (drvo / ugalj)	60 % / 62 %
Efficiency (wood / coal)	
Odvod dima	zadnji /
Fume outlet	back / Ø 120 mm
Tip goriva / Potrošnja (drvo / ugalj)	drvo, ugalj
Fuel type / Consumption (wood / coal)	wood, coal



Boje
Colors

PEĆI NA ČVRSTA GORIVA
SOLID FUEL STOVES

Hellia

Dimenzije (VxŠxD) Dimensions (HxWxD)	980x570x500 mm
Snaga Power	8 kW
Snaga električnog dela Power of electric part	0,5 kW
Stepen iskorišćenja Efficiency	92 %
Odvod dima Fume outlet	zadnji / back / Ø 80 mm
Tip goriva Fuel type	pelet pellet
Nedeljno programiranje rada (do sedam dana unapred) / Automatsko puštanje u rad / Daljinsko upravljanje Weekly programming (up to seven days in advance) / Automatic start-up / Remote control	

Boje
Colors





PEĆI NA ČVRSTA GORIVA
SOLID FUEL STOVES

MBS Pellet 6 / 8,5 / 10

6 / 8,5 / 10	6	8,5	10
Dimenzije (VxŠxD) Dimensions (HxWxD)	980x570x500 mm		
Snaga Power	6 kW	8,5 kW	10 kW
Snaga električnog dela Power of electric part	0,5 kW		
Stepen iskorišćenja Efficiency	88 %		
Odvod dima Fume outlet	zadnji / back / Ø 80 mm		
Tip goriva Fuel type	pelet pellet		
Nedeljno programiranje rada (do sedam dana unapred) / Automatsko puštanje u rad / Daljinsko upravljanje Weekly programming (up to seven days in advance) / Automatic start-up / Remote control			



Štednjaci na čvrsto gorivo

Solid fuel cookers



Strong pellet

Dimenzije (VxŠxD) Dimensions (HxWxD)	870x910x655 mm
Dimenzije pećnice (VxŠxD) Oven dimensions (HxWxD)	300x300x450 mm
Snaga Power	11,5 kW
Stepen iskorišćenja Efficiency	90 %
Odvod dima Fume outlet	gornji / up / Ø 120 mm
Tip goriva Fuel type	pelet pellet
Nedeljno programiranje rada (do sedam dana unapred) / Automatsko puštanje u rad / Daljinsko upravljanje Weekly programming (up to seven days in advance) / Automatic start-up / Remote control	

Boje
Colors



SD Strong

Dimenzije (VxŠxD)	865x915x655 mm
Dimensions (HxWxD)	
Dimenzije ložišta (VxŠxD)	195x200x400 mm
Firebox dimensions (HxWxD)	
Dimenzije pećnice (VxŠxD)	440x300x445 mm
Oven dimensions (HxWxD)	
Snaga	7,6 kW
Power	
Stepen iskorišćenja	76,5 %
Efficiency	
Odvod dima	gornji, zadnji /
Fume outlet	up, back / Ø 120 / 130 mm
Tip goriva	drvo
Fuel type	wood



Boje
Colors

ŠTEDNJACI NA ČVRSTA GORIVA
SOLID FUEL COOKERS

SD As SD As Lux

Dimenzije (VxŠxD) Dimensions (HxWxD)	845x900x654 mm
Dimenzije ložišta (VxŠxD) Firebox dimensions (HxWxD)	270x270x350 mm
Dimenzije pećnice (VxŠxD) Oven dimensions (HxWxD)	270x350x470 mm
Snaga Power	8,3 kW
Stepen iskorišćenja (drvo) Efficiency	77,8 %
Odvod dima Fume outlet	gornji / up / Ø 150 mm
Tip goriva Fuel type	drvo wood

Boje
Colors





ŠTEDNJACI NA ČVRSTA GORIVA
SOLID FUEL COOKERS

SD Rocky

Dimenzije (VxŠxD) Dimensions (HxWxD)	850x900x600 mm
Dimenzije ložišta (VxŠxD) Firebox dimensions (HxWxD)	360x320x430 mm
Dimenzije pećnice (VxŠxD) Oven dimensions (HxWxD)	270x350x470 mm
Snaga Power	8,2 kW
Stepen iskorišćenja Efficiency	76,5 %
Odvod dima Fume outlet	gornji / up / Ø 150 mm
Tip goriva Fuel type	drvo wood



SD Magnum SD Magnum S

Dimenzije (VxŠxD) Dimensions (HxWxD)	865x1070x660 mm
Dimenzije ložišta (VxŠxD) Firebox dimensions (HxWxD)	300x250x340 mm
Dimenzije pećnice (VxŠxD) Oven dimensions (HxWxD)	270x350x470 mm
Snaga Power	9,5 kW
Stepen iskorišćenja Efficiency	76,1 %
Odvod dima Fume outlet	centralni, zadnji / up, back / Ø 120 mm
Tip goriva Fuel type	drvo wood

Boje
Colors





ŠTEDNJACI NA ČVRSTA GORIVA
SOLID FUEL COOKERS

Grand 90

Dimenzije (VxŠxD)	860x900x600 mm
Dimensions (HxWxD)	
Dimenzije ložišta (VxŠxD)	250x210x456 mm
Firebox dimensions (HxWxD)	
Dimenzije pećnice (VxŠxD)	302x250x433 mm
Oven dimensions (HxWxD)	
Snaga (drvo)	7 kW
Power	
Stepen iskorišćenja (drvo)	73,2 %
Efficiency	
Odvod dima	levi, desni, centralni, zadnji /
Fume outlet	left, right, up, back / Ø 120 mm
Tip goriva	drvo
Fuel type	wood

Nemačka tehnologija i kvalitet, proizvedeno u Srbiji!



King

Dimenzije (VxŠxD)	860 - 900x810x600 mm
Dimensions (HxWxD)	
Dimenzije ložišta (VxŠxD)	343,5x198x386 mm
Firebox dimensions (HxWxD)	
Dimenzije pećnice (VxŠxD)	270x350x470 mm
Oven dimensions (HxWxD)	
Snaga (drvo)	7 kW
Power (wood)	
Stepen iskorišćenja (drvo)	74,6 %
Efficiency (wood)	
Odvod dima	levi, desni, centralni, zadnji /
Fume outlet	left, right, up, back / Ø 120 mm
Tip goriva	drvo
Fuel type	wood

Nemačka tehnologija i kvalitet, proizvedeno u Srbiji!

Boje
Colors





ŠTEDNJACI NA ČVRSTA GORIVA
SOLID FUEL COOKERS

Royal 900 DV

Dimenzije (VxŠxD)	850x900x600 mm
Dimensions (HxWxD)	
Dimenzije ložišta (VxŠxD)	175x250x400 mm
Firebox dimensions (HxWxD)	
Dimenzije pećnice (VxŠxD)	270x500x470 mm
Oven dimensions (HxWxD)	
Snaga	8,1 kW
Power	
Stepen iskorišćenja	75,8 %
Efficiency	
Odvod dima	levi, desni, gornji, zadnji /
Fume outlet	left, right, up, back / Ø 120 mm
Tip goriva	drvo
Fuel type	wood



SD Royal 720

Dimenzije (VxŠxD)	850x720x600 mm
Dimensions (HxWxD)	
Dimenzije ložišta (VxŠxD)	175x250x400 mm
Firebox dimensions (HxWxD)	
Dimenzije pećnice (VxŠxD)	270x350x470 mm
Oven dimensions (HxWxD)	
Snaga	8,1 kW
Power	
Stepen iskorišćenja	75,8 %
Efficiency	
Odvod dima	levi, desni, gornji, zadnji /
Fume outlet	left, right, up, back / Ø 120 mm
Tip goriva	drvo
Fuel type	wood

Boje
Colors





ŠTEDNJACI NA ČVRSTA GORIVA SOLID FUEL COOKERS

SD Trend

Dimenzije (VxŠxD)	855x900x495 mm
Dimensions (HxWxD)	
Dimenzije ložišta (VxŠxD)	270x335x370 mm
Firebox dimensions (HxWxD)	
Dimenzije pećnice (VxŠxD)	205x370x325 mm
Oven dimensions (HxWxD)	
Snaga	7,1 kW
Power	
Stepen iskorišćenja	76,3 %
Efficiency	
Odvod dima	levi, desni /
Fume outlet	left, right / Ø 120 mm
Tip goriva	drvo
Fuel type	wood



SD 10 RS

Dimenzije (VxŠxD) Dimensions (HxWxD)	850x945x645 mm
Dimenzije ložišta (VxŠxD) Firebox dimensions (HxWxD)	250x200x400 mm
Dimenzije pećnice (VxŠxD) Oven dimensions (HxWxD)	200x490x460 mm
Snaga (drvo) Power (wood)	7 kW
Stepen iskorišćenja (drvo) Efficiency (wood)	75 %
Odvod dima Fume outlet	levi, desni / left, right / Ø 120 mm
Tip goriva Fuel type	drvo, ugalj wood, coal

Boje
Colors





ŠTEDNJACI NA ČVRSTA GORIVA
SOLID FUEL COOKERS

SD 9 RS

Dimenzije (VxŠxD)	740x945x645 mm
Dimensions (HxWxD)	
Dimenzije ložišta (VxŠxD)	250x200x400 mm
Firebox dimensions (HxWxD)	
Dimenzije pećnice (VxŠxD)	200x490x460 mm
Oven dimensions (HxWxD)	
Snaga	7 kW
Power	
Stepen iskorišćenja	75 %
Efficiency	
Odvod dima	levi, desni /
Fume outlet	left, right / Ø 120 mm
Tip goriva	drvo
Fuel type	wood



ŠTEDNJACI NA ČVRSTA GORIVA
SOLID FUEL COOKERS

SD 9 SL

Dimenzije (VxŠxD)	740x945x645 mm
Dimensions (HxWxD)	
Dimenzije ložišta (VxŠxD)	250x200x400 mm
Firebox dimensions (HxWxD)	
Dimenzije pećnice (VxŠxD)	200x490x460 mm
Oven dimensions (HxWxD)	
Snaga	7 kW
Power	
Stepen iskorišćenja	75 %
Efficiency	
Odvod dima	levi, desni /
Fume outlet	left, right / Ø 120 mm
Tip goriva	drvo
Fuel type	wood

Boje
Colors





ŠTEDNJACI NA ČVRSTA GORIVA
SOLID FUEL COOKERS

SD 7 RS

Dimenzije (VxŠxD)	740x820x645 mm
Dimensions (HxWxD)	
Dimenzije ložišta (VxŠxD)	250x200x400 mm
Firebox dimensions (HxWxD)	
Dimenzije pećnice (VxŠxD)	200x430x460 mm
Oven dimensions (HxWxD)	
Snaga	7 kW
Power	
Stepen iskorišćenja	75 %
Efficiency	
Odvod dima	levi, desni /
Fume outlet	left, right / Ø 120 mm
Tip goriva	drvo
Fuel type	wood



SD 7 SL

Dimenzije (VxŠxD) Dimensions (HxWxD)	740x820x645 mm
Dimenzije ložišta (VxŠxD) Firebox dimensions (HxWxD)	250x200x400 mm
Dimenzije pećnice (VxŠxD) Oven dimensions (HxWxD)	200x430x460 mm
Snaga Power	7 kW
Stepen iskorišćenja (drvo) Efficiency	75 %
Odvod dima Fume outlet	levi, desni / left, right / Ø 120 mm
Tip goriva Fuel type	drvo wood

Boje
Colors





ŠTEDNJACI NA ČVRSTA GORIVA
SOLID FUEL COOKERS

SD 3

Dimenzije (VxŠxD)	740x720x570 mm
Dimensions (HxWxD)	
Dimenzije ložišta (VxŠxD)	195x200x300 mm
Firebox dimensions (HxWxD)	
Dimenzije pećnice (VxŠxD)	200x300x400 mm
Oven dimensions (HxWxD)	
Snaga	7 kW
Power	
Stepen iskorišćenja	75 %
Efficiency	
Odvod dima	levi, desni /
Fume outlet	left, right / Ø 120 mm
Tip goriva	drvo
Fuel type	wood





Peći na čvrsto gorivo

Solid fuel stoves



PEĆI NA ČVRSTA GORIVA
SOLID FUEL STOVES

SD Eva

Dimenzije (VxŠxD) Dimensions (HxWxD)	780x605x555 mm
Dimenzije ložišta (VxŠxD) Firebox dimensions (HxWxD)	400x500x420 mm
Snaga Power	8,2 kW
Stepen iskorišćenja Efficiency	76,9 %
Odvod dima Fume outlet	centralni / up / Ø 120 mm
Tip goriva Fuel type	drvo wood

Boje
Colors





PEĆI NA ČVRSTA GORIVA
SOLID FUEL STOVES

SD Vulkan

Dimenzije (VxŠxD)	748x638x532 mm
Dimensions (HxWxD)	
Dimenzije ložišta (VxŠxD)	265x390x400 mm
Firebox dimensions (HxWxD)	
Snaga	14,2 kW
Power	
Stepen iskorišćenja	76,1 %
Efficiency	
Odvod dima	centralni /
Fume outlet	up / Ø 150 mm
Tip goriva	drvo
Fuel type	wood



Boje
Colors

PEĆI NA ČVRSTA GORIVA
SOLID FUEL STOVES

Orion

Dimenzije (VxŠxD)	1010x518x411 mm
Dimensions (HxWxD)	
Dimenzije ložišta (VxŠxD)	265x320x279 mm
Firebox dimensions (HxWxD)	
Snaga (drvo)	6 kW
Power (wood)	
Stepen iskorišćenja (drvo)	80 %
Efficiency (wood)	
Odvod dima	centralni /
Fume outlet	up / Ø 150 mm
Tip goriva	drvo
Fuel type	wood

Boje
Colors





PEĆI NA ČVRSTA GORIVA
SOLID FUEL STOVES

Luna

Dimenzije (VxŠxD)	989x518x410 mm
Dimensions (HxWxD)	
Dimenzije ložišta (VxŠxD)	265x320x279 mm
Firebox dimensions (HxWxD)	
Snaga (drvo)	6 kW
Power (wood)	
Stepen iskorišćenja (drvo)	80 %
Efficiency (wood)	
Odvod dima	centralni /
Fume outlet	up / Ø 150 mm
Tip goriva	drvo
Fuel type	wood



Boje
Colors

PEĆI NA ČVRSTA GORIVA
SOLID FUEL STOVES

SD Olymp SD Olymp S

Dimenzije (VxŠxD)	848x578x629 mm
Dimensions (HxWxD)	
Dimenzije ložišta (VxŠxD)	310x250x340 mm
Firebox dimensions (HxWxD)	
Snaga	10,3 kW
Power	
Stepen iskorišćenja	76,2 %
Efficiency	
Odvod dima	zadnji /
Fume outlet	back / Ø 120 mm
Tip goriva	drvo
Fuel type	wood

Boje
Colors





PEĆI NA ČVRSTA GORIVA
SOLID FUEL STOVES

SD Olympia SD Olympia S

Dimenzije (VxŠxD)	1120x578x629 mm
Dimensions (HxWxD)	
Dimenzije ložišta (VxŠxD)	310x250x340 mm
Firebox dimensions (HxWxD)	
Dimenzije pećnice (VxŠxD)	280x270x420 mm
Oven dimensions (HxWxD)	
Snaga	12,2 kW
Power	
Stepen iskorišćenja	76,8 %
Efficiency	
Odvod dima	zadnji /
Fume outlet	back / Ø 120 mm
Tip goriva	drvo
Fuel type	wood



Boje
Colors

PEĆI NA ČVRSTA GORIVA
SOLID FUEL STOVES

Grand 50

Dimenzije (VxŠxD)	860-900x515x573 mm
Dimensions (HxWxD)	
Dimenzije ložišta (VxŠxD)	256x381x375 mm
Firebox dimensions (HxWxD)	
Snaga (drvo)	7 kW
Power (wood)	
Stepen iskorišćenja (drvo)	76,3 %
Efficiency (wood)	
Odvod dima	gore /
Fume outlet	up / Ø 120 mm
Tip goriva	drvo
Fuel type	wood

Boje
Colors





PEĆI NA ČVRSTA GORIVA
SOLID FUEL STOVES

SD Vesta Eco

Dimenzije (VxŠxD)	890x455x440 mm
Dimensions (HxWxD)	
Dimenzije ložišta (VxŠxD)	400x280x340 mm
Firebox dimensions (HxWxD)	
Snaga	8,2 kW
Power	
Stepen iskorišćenja	77,8 %
Efficiency	
Odvod dima	centralni /
Fume outlet	up / Ø 120 mm
Tip goriva	drvo
Fuel type	wood



Boje
Colors

SD Vesta Plus

Dimenzije (VxŠxD)	938x455x440 mm
Dimensions (HxWxD)	
Dimenzije ložišta (VxŠxD)	400x280x340 mm
Firebox dimensions (HxWxD)	
Snaga	7,1 kW
Power	
Stepen iskorišćenja	76,5 %
Efficiency	
Odvod dima	centralni /
Fume outlet	up / Ø 120 mm
Tip goriva	drvo
Fuel type	wood

Boje
Colors





PEĆI NA ČVRSTA GORIVA
SOLID FUEL STOVES

SD Hit

Dimenzije (VxŠxD)	885x550x440 mm
Dimensions (HxWxD)	
Dimenzije ložišta (VxŠxD)	270x290x300 mm
Firebox dimensions (HxWxD)	
Snaga	6,1 kW
Power	
Stepen iskorišćenja	76,2 %
Efficiency	
Odvod dima	centralni /
Fume outlet	up / Ø 120 mm
Tip goriva	drvo
Fuel type	wood



PEĆI NA ČVRSTA GORIVA
SOLID FUEL STOVES

SD Corner

Dimenzije (VxŠxD) Dimensions (HxWxD)	885x640x575 mm
Dimenzije ložišta (VxŠxD) Firebox dimensions (HxWxD)	270x280x300 mm
Snaga Power	6,1 kW
Stepen iskorišćenja Efficiency	76,2 %
Odvod dima Fume outlet	centralni / up / Ø 120 mm
Tip goriva Fuel type	drvo wood

Boje
Colors





PEĆI NA ČVRSTA GORIVA
SOLID FUEL STOVES

SD Happy

Dimenzije (VxŠxD)	745x400x410 mm
Dimensions (HxWxD)	
Dimenzije ložišta (VxŠxD)	250x270x300 mm
Firebox dimensions (HxWxD)	
Snaga	6,1 kW
Power	
Stepen iskorišćenja	76,2 %
Efficiency	
Odvod dima	centralni /
Fume outlet	up / Ø 120 mm
Tip goriva	drvo
Fuel type	wood



PEĆI NA ČVRSTA GORIVA
SOLID FUEL STOVES

SD Hera

Dimenzije (VxŠxD) Dimensions (HxWxD)	850x400x560 mm
Dimenzije ložišta (VxŠxD) Firebox dimensions (HxWxD)	350x290x300 mm
Snaga Power	6,2 kW
Stepen iskorišćenja Efficiency	76,4 %
Odvod dima Fume outlet	centralni / up / Ø 120 mm
Tip goriva Fuel type	drvo wood

Boje
Colors





PEĆI NA ČVRSTA GORIVA
SOLID FUEL STOVES

PG-1

Dimenzije (VxŠxD)	870x400x490 mm
Dimensions (HxWxD)	
Dimenzije ložišta (VxŠxD)	380x275x300 mm
Firebox dimensions (HxWxD)	
Snaga (drvo / ugalj)	6 kW / 6 kW
Power (wood / coal)	
Stepen iskorišćenja (drvo / ugalj)	60 % / 62 %
Efficiency (wood / coal)	
Odvod dima	zadnji /
Fume outlet	back / Ø 120 mm
Tip goriva / Potrošnja (drvo / ugalj)	drvo, ugalj
Fuel type / Consumption (wood / coal)	wood, coal



Boje
Colors

PEĆI NA ČVRSTA GORIVA
SOLID FUEL STOVES

Hellia

Dimenzije (VxŠxD) Dimensions (HxWxD)	980x570x500 mm
Snaga Power	8 kW
Snaga električnog dela Power of electric part	0,5 kW
Stepen iskorišćenja Efficiency	92 %
Odvod dima Fume outlet	zadnji / back / Ø 80 mm
Tip goriva Fuel type	pelet pellet
Nedeljno programiranje rada (do sedam dana unapred) / Automatsko puštanje u rad / Daljinsko upravljanje Weekly programming (up to seven days in advance) / Automatic start-up / Remote control	

Boje
Colors





PEĆI NA ČVRSTA GORIVA
SOLID FUEL STOVES

MBS Pellet 6 / 8,5 / 10

6 / 8,5 / 10	6	8,5	10
Dimenzije (VxŠxD) Dimensions (HxWxD)	980x570x500 mm		
Snaga Power	6 kW	8,5 kW	10 kW
Snaga električnog dela Power of electric part	0,5 kW		
Stepen iskorišćenja Efficiency	88 %		
Odvod dima Fume outlet	zadnji / back / Ø 80 mm		
Tip goriva Fuel type	pelet pellet		
Nedeljno programiranje rada (do sedam dana unapred) / Automatsko puštanje u rad / Daljinsko upravljanje Weekly programming (up to seven days in advance) / Automatic start-up / Remote control			

